




wherein R^1 is a group represented by $-(CH_2-CH_2O)_m-H$ (m is 1 to 10), and R^2 is a group or an atom selected from the group consisting of a group represented by $-(CH_2-CH_2O)_n-H$ (n is 1 to 10), an alkyl group of 1 to 10 carbon atoms, an aryl group and a hydrogen atom.


6. (Amended) The chipping resistance-imparting aqueous dispersion composition as claimed in claim 4, further comprising a nitrogen compound (c) represented by the following formula (I) in an amount of 0.1 to 30 parts by weight based on 100 parts by weight of the styrene/conjugated diene block copolymer or its hydrogenation product (a').



wherein R^1 is a group represented by $-(CH_2-CH_2O)_m-H$ (m is 1 to 10), and R^2 is a group or an atom selected from the group consisting of a group represented by $-(CH_2-CH_2O)_n-H$ (n is 1 to 10), an alkyl group of 1 to 10 carbon atoms, an aryl group and a hydrogen atom.

Please enter the following new claims:


--7. (New) The chipping resistance-imparting aqueous dispersion composition as claimed in claim 2, further comprising a nitrogen compound (c) represented by the following formula (I) in an amount of 0.1 to 30 parts by weight based on 100 parts by weight of the olefin thermoplastic elastomer (a),



(I)

wherein R^1 is a group represented by $-(CH_2-CH_2O)_m-H$ (m is 1 to 10), and R^2 is a group or an atom selected from the group consisting of a group represented by $-(CH_2-CH_2O)_n-H$ (n is 1 to 10), an alkyl group of 1 to 10 carbon atoms, an aryl group and a hydrogen atom.

8. (New) The chipping resistance-imparting aqueous dispersion composition as claimed in claim 5, further comprising a nitrogen compound (c) represented by the following formula (I) in an amount of 0.1 to 30 parts by weight based on 100 parts by weight of the styrene/conjugated diene block copolymer or its hydrogenation product (a'),



(I)